

Notice of Allowability

Application No.

10/021,195

Examiner

Luz L. Alejandro

Applicant(s)

COLLINS ET AL.

Art Unit

1763

ed

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to communication filed on 11/20/03.
2. ☒ The allowed claim(s) is/are 1-9 and 11-18.
3. ☒ The drawings filed on 30 October 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 1103
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Luz L. Alejandro
Luz L. Alejandro
Primary Examiner
Art Unit: 1763

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Wallace on 02/03/04.

The application has been amended as follows:

In the claims:

- A) In claim 3-line 2, "connected" has been changed to -- coupled --.
- B) In claim 4-line 2, "connected" has been changed to -- coupled --.
- C) In claim 5-line 2, "connected" has been changed to -- coupled --.
- D) In claim 7-line 2, "connected" has been changed to -- coupled --.
- E) In claim 13-line 8, "one of" has been deleted.
- F) In claim 13-line 9, "connected" has been changed to -- coupled --.
- G) In claim 13-line 11, after "chamber,", -- and -- has been inserted.
- H) In claim 13-line 12, "connected" has been changed to -- coupled --.
- I) In claim 14-line 3, "connected" has been changed to -- coupled --.
- J) In claim 15-line 2, "connected" has been changed to -- coupled --.

The following is an examiner's statement of reasons for allowance: the prior art, either singly or in combination, fails to anticipate or render obvious, a window electrode proximal a wall of the chamber, said antenna and wall being positioned adjacently, the window electrode being operable as: a capacitive electrode accepting RF power to capacitively couple plasma source power into the chamber, and a window electrode passing RF power therethrough from the antenna into the chamber to inductively couple plasma source power into the chamber, as required by claim 1. Furthermore, the prior art, either singly or in combination, fails to anticipate or render obvious, a plasma reactor, comprising a window electrode above the support, an inductive source power applicator external of said chamber and adjacent the window electrode, an RF plasma source power supply coupled to the window electrode to capacitively couple RF plasma source power into the chamber, and an RF plasma source power supply coupled to the inductive source power applicator to inductively couple RF plasma source power through the window electrode into the chamber, as required by claim 13.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luz L. Alejandro whose telephone number is 571-272-

Application/Control Number: 10/021,195


Page 4

Art Unit: 1763

1430. The examiner can normally be reached on Monday to Thursday from 7:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory L. Mills can be reached on 571-272-1439. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Luz L. Alejandro
Primary Examiner
Art Unit 1763

February 3, 2004